From the

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

DAVIES COLLISON CAVE
1 Little Collins Street
MELBOURNE VIC 3000

PCT

NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

Date of mailing day/month/year

1 9 MAR 2001

Applicant's or agent's file reference

2228478

IMPORTANT NOTIFICATION

International Application No.

International Filing Date

Priority Date

PCT/AU99/00949

1 November 1999

2 November 1998

Applicant

THE UNIVERSITY OF MELBOURNE et al

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translations to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide

Name and mailing address of the IPEA/AU

AUSTRALIAN PATENT OFFICE

PO BOX 200, WODEN ACT 2606, AUSTRALIA

E-mail address: pct@ipaustralia.gov.au

Facsimile No. (02) 6285 3929

Authorized officer

MICHAEL HALL

Telephone No. (02) 6283 2474

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

| Applicant's or agent's file reference 2228478 | FOR FURTHER ACTION | See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416). | | | | |
|---|--|--|---|--|--|--|
| International Application No. PCT/AU99/00949 | International Filing Date (day/month/year) 1 November 1999 | | Priority Date (day/month/year) 2 November 1998 | | | |
| International Patent Classification (IPC) or national classification | | on and IPC | | | | |
| | | | | | | |
| Int. Cl. ⁷ G01J 9/00 | | | | | | |
| Applicant THE UNIVERSITY OF MELI | ROURNE et al | | • | | | |
| THE ONLY EASILI OF MEEDOOKINE CLAI | | | | | | |
| | | | | | | |
| | | | | | | |
| | This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36. | | | | | |
| 2. This REPORT consists of a to | This REPORT consists of a total of 4 sheets, including this cover sheet. | | | | | |
| This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). | | | | | | |
| These annexes consist of a total | al of 1 sheet(s). | | | | | |
| 3. This report contains indications relation | ng to the following iten | ns: | | | | |
| I X Basis of the repor | t | | | | | |
| II Priority | | | | | | |
| III Non-establishmen | nt of opinion with regar | d to novelty, inventive s | tep and industrial applicability | | | |
| IV Lack of unity of in | nvention | | | | | |
| | ent under Article 35(2) with regard to novelty, inventive step or industrial applicability; lanations supporting such statement | | | | | |
| VI Certain document | s cited | | | | | |
| VII Certain defects in | the international application | | | | | |
| VIII X Certain observation | ons on the international application | | | | | |
| Date of submission of the demand D | | Date of completion of the report | | | | |
| 19 May 2000 | | 15 March 2001 | | | | |
| Name and mailing address of the IPEA/AU | | Authorized Officer | | | | |
| AUSTRALIAN PATENT OFFICE | | | | | | |
| PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustralia.gov.au | | MICHAEL HALL | · | | | |
| Facsimile No. (02) 6285 3929 | | Telephone No. (02) 6283 2474 | | | | |
| | | 1010pilotic 110. (02) 020 | | | | |

| I. | Basis of the report | |
|----|---|--|
| 1. | With regard to the elements of the in | |
| | the international application a | s originally filed. |
| | X the description, pages 1 | -16, 18-34, as originally filed, |
| | pages , | filed with the demand, |
| | | 7, received on 9 November 2000 with the letter of 9 November 2000 |
| | X the claims, pages 3 | 5-55, as originally filed, |
| | · | as amended (together with any statement) under Article 19, |
| | · · · | filed with the demand, |
| | | received on with the letter of |
| | | -12, as originally filed, |
| | | filed with the demand, |
| | the sequence listing part of the | received on with the letter of |
| | | |
| | pages, | as originally filed filed with the demand |
| | 10, | received on with the letter of |
| 2. | | elements marked above were available or furnished to this Authority in the language in |
| ۷. | which the international application w | as filed, unless otherwise indicated under this item. |
| | · | nished to this Authority in the following language which is: |
| | | urnished for the purposes of international search (under Rule 23.1(b)). |
| | the language of publication of | the international application (under Rule 48.3(b)). |
| | the language of the translation and/or 55.3). | furnished for the purposes of international preliminary examination (under Rules 55.2 |
| 3. | With regard to any nucleotide and/o sequence listing: | r amino acid sequence disclosed in the international application, was on the basis of the |
| | contained in the international a | application in written form. |
| | filed together with the internat | ional application in computer readable form. |
| | furnished subsequently to this | Authority in written form. |
| | furnished subsequently to this | Authority in computer readable form. |
| | The statement that the subseque international application as file | ently furnished written sequence listing does not go beyond the disclosure in the ed has been furnished. |
| | The statement that the informa been furnished | tion recorded in computer readable form is identical to the written sequence listing has |
| 4. | The amendments have resulted | in the cancellation of: |
| | | ges |
| | | os. |
| | the drawings, sh | eets/fig. |
| 5. | | ed as if (some of) the amendments had not been made, since they have been considered to ed, as indicated in the Supplemental Box (Rule 70.2(c)).** |
| * | | nished to the receiving Office in response to an invitation under Article 14 are referred to in this neezed to this report since they do not contain amendments (Rules 70.16 and 70.17). |
| ** | Any replacement sheet containing such a | mendments must be referred to under item I and annexed to this report |

| v. | Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; cita | |
|----|---|--|
| • | and explanations supporting such statement | |

| 1. Statement | | |
|-------------------------------|----------------|-----|
| Novelty (N) | Claims 1-109 | YES |
| | Claims | NO |
| Inventive step (IS) | Claims 1-107 | YES |
| | Claims 108-109 | NO |
| Industrial applicability (IA) | Claims 1-109 | YES |
| | Claims | NO |

2. Citations and explanations (Rule 70.7)

Citation

D1: Optics Commun. 133 (1997) 339-346

NOVELTY (N)

D1 represents the closest prior art cited in the International Search Report to the subject matter of the claims, and teaches phase retrieval via Fourier transforming a rate of change of intensity normal to a surface extending across a wave field; calculating and applying the inverse of a matrix operator (which is a function of the Fourier transform of the intensity over the surface), and taking the inverse Fourier transform (equations 3-4, 7, and 10 of D1). In contrast, independent claims 1, 27, 51, 65, 80, 94, 108-109 have, in place of the calculation of a matrix inverse as per D1, the mathematical operations of applying a first filter, an inverse transform, a correction factor based on the intensity over of the surface, a further transform, and a second filter (eg, steps (c)-(f) of claim 1). Hence the independent claims, and in consequence their respective dependent claims, are novel in the light of the prior art.

INVENTIVE STEP (IS) claims 108-109

Claims 108 and 109 are directed merely to a collocation of computer codes which can perform the mathematical operations of taking an integral transform and its inverse; filtering; and applying correction factors; and where the operations are suitable for application to intensity measurements of a radiation wave field. Such collocations are common general knowledge in the fields of digital signal processing and optical beam propagation, and are commonly provided in various computer packages for application to optical wave fields. Thus these claims lack an inventive step in the light of common general knowledge.

INDUSTRIAL APPLICABILITY (IA)

The subject matter of the claims is applicable to phase-amplitude imaging via radiation wave fields.

rnational application No.

PCT/AU99/00949

VIII. Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

- 1. Claims 1, 27, 51, 65, 108 and 109 are not clear with respect to "rate of change of intensity ... over a selected surface" (lines 3-4 of claims 1, 27, 51 and 65; lines 2-3 of claims 108, 109) This has the plain meaning of change measured transversely to (ie, "over") the surface, whereas the embodiments and independent claims 80 and 94 imply that the rate of change is in "the direction of radiation propagation" (eg, lines 15-16 of claim 80). Perhaps it would be clearer if the direction of the rate of change was specified to be in the direction of radiation propagation.
- 2. Claims 108-109 are not fairly based because they do not include a method for phase retrieval of a radiation wave field, which from my reading of the specification as a whole (including the title), appears to be a characteristic feature of the invention.

5

10

15

20

where I is the intensity in the plane, the gradient operator in the plane is denoted ∇_{\perp} , k is the wave number of the radiation, and $\partial I/\partial z$ is the intensity derivative or rate of change of intensity. Note that $\partial I/\partial z$ is estimated from the difference of the measurements in the planes A & B shown in Figure 1, while the intensity I is given by the average of the measurements.

In order to obtain a solution to equation 1 the function A is first defined as:

(2)
$$\nabla_{\perp} A = I \nabla_{\perp} \phi$$

where the right hand side is assumed to be irrotational.

Thus equation (1) becomes:

(3)
$$\nabla \bullet (\nabla, A) = -k\partial A I.$$

Making use of a standard identity $\nabla_{\perp} \bullet \nabla_{\perp} = \nabla_{\perp}^{2}$, this may be written:

$$(4) \qquad \nabla_{\perp}^{2} A = -k \partial_{\perp} I$$

where ∇_{\perp}^2 denotes the two-dimensional Laplacian acting over the surface of the image. This equation has the following symbolic solution:

$$(5) A = -k\nabla_{\perp}^{-2}\partial_{z}I.$$

If the gradient operator ∇_{\perp} is applied to both sides of this equation, it becomes:

$$\nabla_{\perp} A = -k \nabla_{\perp} \nabla_{\perp}^{-2} \partial_{z} I.$$

The defining equation (2) for the function A allows (6) to be transformed into:

(7)
$$I\nabla_{\perp}\phi = -k\nabla_{\perp}\nabla_{\perp}^{-2}\partial_{\perp}I.$$

woo

15

20

where I is the intensity in the plane, the gradient operator in the plane is denoted ∇_{\perp} , k is the wave number of the radiation, and $\partial I/\partial z$ is the intensity derivative or rate of change of intensity. Note that $\partial I/\partial z$ is estimated from the difference of the measurements in the planes A & B shown in Figure 1, while the intensity I is given by the average of the measurements.

In order to obtain a solution to equation 1 the function A is first defined as:

(2)
$$\nabla_{\perp} A = I \nabla_{\perp} \phi .$$

10 Thus equation (1) becomes:

(3)
$$\nabla_{\perp} \bullet (\nabla_{\perp} A) = -k \partial_z I$$
.

Making use of a standard identity $\nabla_{\perp} \bullet \nabla_{\perp} = \nabla_{\perp}^{2}$, this may be written:

$$(4) \qquad \nabla_{\perp}^{2} A = -k \partial_{z} I$$

where ∇_{\perp}^2 denotes the two-dimensional Laplacian acting over the surface of the image. This equation has the following symbolic solution:

$$(5) A = -k\nabla_{\perp}^{-2}\partial_{z}I.$$

If the gradient operator ∇_{\perp} is applied to both sides of this equation, it becomes:

$$\nabla_{\perp} A = -k \nabla_{\perp} \nabla_{\perp}^{-2} \partial_{z} I.$$

The defining equation (2) for the function A allows (6) to be transformed into:

$$(7) I\nabla_{\perp}\phi = -k\nabla_{\perp}\nabla_{\perp}^{-2}\partial_{z}I.$$

WO 00/26622 where I is the intensity in the plane, the gradient operator in the plane is denoted ∇_{+} , k is the wave number of the radiation, and $\partial I/\partial z$ is the intensity derivative or rate of change of intensity. Note that $\partial I/\partial z$ is estimated from the difference of the measurements in the planes A & B shown in Figure 1, while the intensity I is given by the average of the measurements.

In order to obtain a solution to equation 1 the function A is first defined as:

$$(2) \qquad \nabla_{\underline{\cdot}} A = I \nabla_{\underline{\cdot}} \phi$$

where the right hand side is assumed to be irrotational.

Thus equation (1) becomes: 10

15

20

(3)
$$\nabla \bullet (\nabla, A) = -k\partial A$$
.

Making use of a standard identity $\nabla_{\perp} \bullet \nabla_{\perp} = \nabla_{\perp}^2$, this may be written:

$$(4) \qquad \nabla_{\perp}^{2} A = -k \partial_{z} I$$

where ∇_{1}^{2} denotes the two-dimensional Laplacian acting over the surface of the image. This equation has the following symbolic solution:

$$(5) A = -k\nabla_{\perp}^{-2}\partial_{z}I.$$

If the gradient operator ∇_{\perp} is applied to both sides of this equation, it becomes:

$$\nabla_{\perp} A = -k \nabla_{\perp} \nabla_{\perp}^{-2} \partial_{z} I.$$

The defining equation (2) for the function A allows (6) to be transformed into:

(7)
$$I \nabla_{\perp} \phi = -k \nabla_{\perp} \nabla_{\perp}^{-2} \partial_{z} I .$$